



OSAIC


PROUD 5X5



SA 5301
PIECE SIZE 50MM



SA 5302
PIECE SIZE 50MM



SA 5303
PIECE SIZE 50MM

ICONS



*SUITABILITY AREA PRODUCT & COMPOSITION GUID

WALL - INT/EXT	WET AREA - YES	WET AREA
FLOOR - RESIDENTIAL	POOLS - YES	YES

*PACKING

1 SHEET -31.5CM X31.5CM	THICKNESS -0.5MM
1 PIECE -50MM	JOINT SIZE -2MM
1 BOX	12 SHEET / 1M ²
1 PALLET	90 BOX / 90 M ²

TECHNICAL CHARACTERISTICS

Test UNE-EN-ISO 10545-3 Water Absorption	Test UNE-EN-ISO-101-92=101 Surface hardness. Mohs	Test UNE-EN-ISO 10545-9 Resistance to thermal shocks
None	4	Resistant
Test UNE-EN-ISO 10545-14 Resistance to staining	Test UNE-EN-ISO 10545-11=1997 Cracking	DIN 51094 Colour Stability on exposure to light and UV rays
Class 5	Resistant	Resistant

Green / Sustainable Products


www.byosaic.com

98% Recycled Glass


Made in Saudi Arabia



SA 5304
PIECE SIZE 50MM



SA 5305
PIECE SIZE 50MM



SA 5306
PIECE SIZE 50MM

ICONS



*SUITABILITY AREA PRODUCT & COMPSITION GUID

WALL - INT/EXT	WET AREA - YES	WET AREA
FLOOR - RESIDENTIAL	POOLS - YES	YES

*PACKING

1 SHEET -31.5CM X31.5CM	THICHNESS -0.5MM
1 PIECE -50MM	JOINT SIZE -2MM
1 BOX	12 SHEET / 1M ²
1 PALLET	90 BOX / 90 M ²

TECHNICAL CHARACTERISTICS


Test UNE-EN-ISO 10545-3 Water Absorption	Test UNE-EN-ISO-101-92=101 Surface hardness. Mohs	Test UNE-EN-ISO 10545-9 Resistance to thermal shocks
None	4	Resistant
Test UNE-EN-ISO 10545-14 Resistance to staining	Test UNE-EN-ISO 10545-11=1997 Cracking	DIN 51094 Colour Stability on exposure to light and UV rays
Class 5	Resistant	Resistant

Green / Sustainable Products


98% Recycled Glass

Made in Saudi Arabia

www.byosaic.com



SA 5307
PIECE SIZE 50MM



SA 5308
PIECE SIZE 50MM

*SUITABILITY AREA PRODUCT & COMPSITION GUID

WALL - INT/EXT	WET AREA - YES	WET AREA
FLOOR - RESIDENTIAL	POOLS - YES	YES

*PACKING

1 SHEET -31.5CM X31.5CM	THICHNESS -0.5MM
1 PIECE -50MM	JOINT SIZE -2MM
1 BOX	12 SHEET / 1M ²
1 PALLET	90 BOX / 90 M ²

ICONS



TECHNICAL CHARACTERISTICS

Test UNE-EN-ISO 10545-3 Water Absorption	Test UNE-EN-ISO-101-92=101 Surface hardness. Mohs	Test UNE-EN-ISO 10545-9 Resistance to thermal shocks
None	4	Resistant
Test UNE-EN-ISO 10545-14 Resistance to staining	Test UNE-EN-ISO 10545-11=1997 Cracking	DIN 51094 Colour Stability on exposure to light and UV rays
Class 5	Resistant	Resistant





Green / Sustainable Products




98% Recycled Glass



Made in Saudi Arabia



SA 5309
PIECE SIZE 50MM



SA 5310
PIECE SIZE 50MM

*SUITABILITY AREA PRODUCT & COMPSITION GUID

WALL - INT/EXT	WET AREA - YES	WET AREA
FLOOR - RESIDENTIAL	POOLS - YES	YES

*PACKING

1 SHEET -31.5CM X31.5CM	THICHNESS -0.5MM
1 PIECE -50MM	JOINT SIZE -2MM
1 BOX	12 SHEET / 1M ²
1 PALLET	90 BOX / 90 M ²

ICONS





TECHNICAL CHARACTERISTICS

Test UNE-EN-ISO 10545-3 Water Absorption	Test UNE-EN-ISO-101-92=101 Surface hardness. Mohs	Test UNE-EN-ISO 10545-9 Resistance to thermal shocks
None	4	Resistant
Test UNE-EN-ISO 10545-14 Resistance to staining	Test UNE-EN-ISO 10545-11=1997 Cracking	DIN 51094 Colour Stability on exposure to light and UV rays
Class 5	Resistant	Resistant


 **Green / Sustainable Products**

 **98% Recycled Glass**

 **Made in Saudi Arabia**



SA 5311
PIECE SIZE 50MM



SA 5312
PIECE SIZE 50MM

*SUITABILITY AREA PRODUCT & COMPSITION GUID

WALL - INT/EXT	WET AREA - YES	WET AREA
FLOOR - RESIDENTIAL	POOLS - YES	YES

*PACKING

1 SHEET -31.5CM X31.5CM	THICKNESS -0.5MM
1 PIECE -50MM	JOINT SIZE -2MM
1 BOX	12 SHEET / 1M ²
1 PALLET	90 BOX / 90 M ²

ICONS





TECHNICAL CHARACTERISTICS

Test UNE-EN-ISO 10545-3 Water Absorption	Test UNE-EN-ISO-101-92=101 Surface hardness. Mohs	Test UNE-EN-ISO 10545-9 Resistance to thermal shocks
None	4	Resistant
Test UNE-EN-ISO 10545-14 Resistance to staining	Test UNE-EN-ISO 10545-11=1997 Cracking	DIN 51094 Colour Stability on exposure to light and UV rays
Class 5	Resistant	Resistant


Green / Sustainable Products

98% Recycled Glass

Made in Saudi Arabia



SA 5313
PIECE SIZE 50MM



SA 5314
PIECE SIZE 50MM

*SUITABILITY AREA PRODUCT & COMPSITION GUID

WALL - INT/EXT	WET AREA - YES	WET AREA
FLOOR - RESIDENTIAL	POOLS - YES	YES

*PACKING

1 SHEET -31.5CM X31.5CM	THICHNESS -0.5MM
1 PIECE -50MM	JOINT SIZE -2MM
1 BOX	12 SHEET / 1M ²
1 PALLET	90 BOX / 90 M ²

ICONS



TECHNICAL CHARACTERISTICS

Test UNE-EN-ISO 10545-3 Water Absorption	Test UNE-EN-ISO-101-92=101 Surface hardness. Mohs	Test UNE-EN-ISO 10545-9 Resistance to thermal shocks
None	4	Resistant
Test UNE-EN-ISO 10545-14 Resistance to staining	Test UNE-EN-ISO 10545-11=1997 Cracking	DIN 51094 Colour Stability on exposure to light and UV rays
Class 5	Resistant	Resistant



Green / Sustainable Products




98% Recycled Glass



Made in Saudi Arabia



SA 5315
PIECE SIZE 50MM



SA 5316
PIECE SIZE 50MM

*SUITABILITY AREA PRODUCT & COMPSITION GUID

WALL - INT/EXT	WET AREA - YES	WET AREA
FLOOR - RESIDENTIAL	POOLS - YES	YES

*PACKING

1 SHEET -31.5CM X31.5CM	THICHNESS -0.5MM
1 PIECE -50MM	JOINT SIZE -2MM
1 BOX	12 SHEET / 1M ²
1 PALLET	90 BOX / 90 M ²

ICONS



TECHNICAL CHARACTERISTICS

Test UNE-EN-ISO 10545-3 Water Absorption	Test UNE-EN-ISO-101-92=101 Surface hardness. Mohs	Test UNE-EN-ISO 10545-9 Resistance to thermal shocks
None	4	Resistant
Test UNE-EN-ISO 10545-14 Resistance to staining	Test UNE-EN-ISO 10545-11=1997 Cracking	DIN 51094 Colour Stability on exposure to light and UV rays
Class 5	Resistant	Resistant

Green / Sustainable Products

98% Recycled Glass

Made in Saudi Arabia